

CASES



DARK BASE PRO 901



DARK BASE 701

		<ul style="list-style-type: none"> Fully versatile, thanks to modular construction Perfect for enthusiasts and casual users alike Side window made of tinted and tempered glass Qi charger / Quick Charging Option 	<ul style="list-style-type: none"> Maximum airflow with an open mesh design Exceptional accessibility with cleverly integrated functions 3 pre-installed Silent Wings 4 140mm PWM high-speed fans and integrated fan controller
Color options		Black White	Black White
Model number	non-window	-	-
	window	BGW50 BGW51	BGW58 BGW59
Case size incl. stands (mm)		604 x 254 x 569	565 x 249 x 523
Weight (kg)		17.8 18.0	12.8
Fans		3x be quiet! Silent Wings 4 140mm (Black) 3x be quiet! Silent Wings 4 140mm (White)	3x be quiet! Silent Wings 4 140mm PWM high-speed (Black) 3x be quiet! Silent Wings 4 140mm PWM high-speed (White)
Fan speed at 100% PWM		1900	1900
Fan controller		Dual rail stepless fan controller (8x 4-pin), PWM hub	Dual rail stepless fan controller (6x 4-pin), PWM hub
Motherboard compatibility		XL-ATX, E-ATX, ATX, M-ATX, Mini-ITX	E-ATX (30.5 x 27.5cm), ATX, M-ATX, Mini-ITX
Invertable		✓	✓
USB 2.0 / USB 3.0 / USB 3.2 Gen. 2 Type C		- / 4 / 1	- / 2 / 1
Illumination		ARGB	ARGB
PSU shroud		✓	✓
5.25" bays		1	-
3.5" slots (max.) / 3.5" slots (scope of delivery)		7 / 2	5 / 3
2.5" slots (max.) / 2.5" slots (scope of delivery)		16 / 6	3 / 2
Materials		ABS, aluminum, steel, 4mm tempered glass	ABS, aluminum, steel, 4mm tempered glass
Radiators (mm) front top bottom side rear		120/140/240/280/360/420 120/240/360 - 120/240/360 120/140	120 / 140 / 240 / 280 / 360 120 / 140 / 240 / 280 / 360 - 120



LIGHT BASE 900 FX



LIGHT BASE 900 DX

		<ul style="list-style-type: none"> Outstanding versatility with inverted and horizontal layout Preinstalled Light Wings PWM fans Show Case with ARGB LED strip 	<ul style="list-style-type: none"> Outstanding versatility with inverted and horizontal layout Extra spacious design Show Case with ARGB LED strip
Color options		Black White	Black White
Model number	non-window	-	-
	window	BGW71 BGW72	BGW69 BGW70
Case size incl. stands (mm)		532 x 327 x 484	532 x 327 x 484
Weight (kg)		15.8 -	14.8 -
Fans		3x be quiet! Light Wings Reversed 1x be quiet! Light Wings 140mm	-
Fan speed at 100% PWM		1300 1500	-
Fan controller		2x 6+6 PWM and ARGB Hub	2x 6+6 PWM and ARGB Hub
Motherboard compatibility		E-ATX, XL-ATX, ATX, M-ATX, Mini-ITX	E-ATX, XL-ATX, ATX, M-ATX, Mini-ITX
Invertable		✓	✓
USB 2.0 / USB 3.0 / USB 3.2 Gen. 2 Type C		- / 2 / 1	- / 2 / 1
Illumination		ARGB	ARGB
PSU shroud		-	-
5.25" bays		-	-
3.5" slots (max.) / 3.5" slots (scope of delivery)		2 / 1	2 / 1
2.5" slots (max.) / 2.5" slots (scope of delivery)		6 / 4	6 / 4
Materials		Steel (SGCC), ABS, Glass	Steel (SGCC), ABS, Glass
Radiators (mm) front top bottom side rear		- 120/140/240/280/360/420 120/140/240/280/360/420 120/240/280/360 120/140	- 120/140/240/280/360/420 120/140/240/280/360/420 120/240/280/360 120/140



LIGHT BASE 600 LX



LIGHT BASE 600 DX

		<ul style="list-style-type: none"> Outstanding versatility with inverted and horizontal layout Preinstalled Light Wings LX PWM fans Show Case with ARGB LED strip 	<ul style="list-style-type: none"> Outstanding versatility with inverted and horizontal layout Spacious design Show Case with ARGB LED strip
Color options		Black White	Black White
Model number	non-window	-	-
	window	BGW67 BGW68	BGW65 BGW66
Case size incl. stands (mm)		450 x 305 x 435	450 x 305 x 435
Weight (kg)		12.1 -	11.5 -
Fans		3x be quiet! Light Wings LX Reversed 1x be quiet! Light Wings LX 120mm	-
Fan speed at 100% PWM		1600 1500	-
Fan controller		2x 6+6 PWM and ARGB Hub	2x 6+6 PWM and ARGB Hub
Motherboard compatibility		ATX, M-ATX, Mini-ITX	ATX, M-ATX, Mini-ITX
Invertable		✓	✓
USB 2.0 / USB 3.0 / USB 3.2 Gen. 2 Type C		- / 2 / 1	- / 2 / 1
Illumination		ARGB	ARGB
PSU shroud		-	-
5.25" bays		-	-
3.5" slots (max.) / 3.5" slots (scope of delivery)		2 / 1	2 / 1
2.5" slots (max.) / 2.5" slots (scope of delivery)		4 / 2	4 / 2
Materials		Steel (SGCC), ABS, Glass	Steel (SGCC), ABS, Glass
Radiators (mm) front top bottom side rear		- 120/140/240/280/360 120/140/240/280/360 120/240 120	- 120/140/240/280/360 120/140/240/280/360 120/240 120

CASES



SILENT BASE 802



SILENT BASE 601

Color options		Black White	Orange Black Silver
Model number	non-window	BG039 BG040	BG025 BG026 BG027
	window	BGW39 BGW40	BGW25 BGW26 BGW27
Case size incl. stands (mm)		539 x 281 x 553	532 x 240 x 514
Weight (kg) window non-window		13.15 12.59	11.22 10.49
Fans		3x be quiet! Pure Wings 2 140mm	2x be quiet! Pure Wings 2 140mm
Fan speed at 100% PWM		1000	1000
Fan controller		4-step fan controller (6x 3-pin) with PWM Hub	3-step fan controller (3x 3-pin)
Motherboard compatibility		E-ATX (30.5 x 27.5), ATX, M-ATX, Mini-ITX	E-ATX (30.5 x 27.5), ATX, M-ATX, Mini-ITX
Invertable		✓	-
USB 2.0 / USB 3.0 / USB 3.2 Gen. 2 Type C		- / 2 / 1	1 / 2 / -
Illumination		-	-
PSU shroud		✓	✓
5.25" bays		-	-
3.5" slots (max.) / 3.5" slots (scope of delivery)		7 / 3	7 / 3
2.5" slots (max.) / 2.5" slots (scope of delivery)		15 / 7	14 / 6
Materials		ABS, steel, 4mm tempered glass (window only)	ABS, steel, 4mm tempered glass (window only)
Radiators (mm) front top bottom side rear		120/140/240/280/360/420 120/240/360 - - 120/140	120/140/240/280/360 120/240/360 - - 120/140



SHADOW BASE 800 FX



SHADOW BASE 800 DX



SHADOW BASE 800

		<ul style="list-style-type: none"> Maximum airflow with an open mesh design 4 preinstalled Light Wings PWM fans PWM and ARGB hub included 	<ul style="list-style-type: none"> Maximum airflow with an open mesh design 3 preinstalled Pure Wings 3 PWM fans Spacious design with enormous dimensions 	<ul style="list-style-type: none"> Maximum airflow with an open mesh design 3 preinstalled Pure Wings 3 PWM fans Spacious design with enormous dimensions
Color options		Black White	Black White	Black
Model number	non-window	-	-	-
	window	BGW63 BGW64	BGW61 BGW62	BGW60
Case size incl. stands (mm)		550 x 247 x 522	550 x 247 x 522	550 x 247 x 522
Weight (kg)		12.3	11.8	11.7
Fans		4x be quiet! Light Wings PWM 140mm (Black) 4x be quiet! Light Wings White PWM 140mm (White)	3x be quiet! Pure Wings 3 PWM 140mm	3x be quiet! Pure Wings 3 PWM 140mm
Fan speed at 100% PWM		1500	1200	1200
Fan controller		-	-	-
Motherboard compatibility		E-ATX, ATX, M-ATX, Mini-ITX	E-ATX, ATX, M-ATX, Mini-ITX	E-ATX, ATX, M-ATX, Mini-ITX
Invertable		-	-	-
USB 2.0 / USB 3.0 / USB 3.2 Gen. 2 Type C		- / 2 / 1	- / 2 / 1	- / 2 / 1
Illumination		ARGB	ARGB	-
PSU shroud		✓	✓	✓
5.25" bays		-	-	-
3.5" slots (max.) / 3.5" slots (scope of delivery)		4 / 2	4 / 2	4 / 2
2.5" slots (max.) / 2.5" slots (scope of delivery)		8 / 4	8 / 4	8 / 4
Materials		ABS, steel, 4mm tempered glass	ABS, steel, 4mm tempered glass	ABS, steel, 4mm tempered glass
Radiators (mm) front top bottom side rear		120/140/240/280/360/420 120/140/240/280/360/420 - - 120	120/140/240/280/360/420 120/140/240/280/360/420 - - 120	120/140/240/280/360/420 120/140/240/280/360/420 - - 120



PURE BASE 501 LX



PURE BASE 501 DX

		<ul style="list-style-type: none"> 4 preinstalled Light Wings LX fans Unmistakable lighting effects and extraordinary air pressure 	<ul style="list-style-type: none"> Dynamic case front design with elegant ARGB lighting 3 preinstalled Pure Wings 3 fans
Color options		Black White	Black White
Model number	non-window	-	-
	window	BGW78 BGW79	BGW76 BGW77
Case size incl. stands (mm)		450 x 231 x 463	450 x 231 x 463
Weight (kg) window non-window		7.8 7.9	7.9
Fans		3x be quiet! Light Wings LX 120mm 1x be quiet! Light Wings LX 140mm	3x be quiet! Pure Wings 3 140mm
Fan speed at 100% PWM		1600 / 1200	1200
Fan controller		-	-
Motherboard compatibility		ATX, M-ATX, Mini-ITX	ATX, M-ATX, Mini-ITX
Invertable		-	-
USB 2.0 / USB 3.0 / USB 3.2 Gen. 2 Type C		- / 2 / 1	- / 2 / 1
Illumination		✓	-
PSU shroud		✓	✓
5.25" bays		-	-
3.5" slots (max.) / 3.5" slots (scope of delivery)		2 / 2	2 / 2
2.5" slots (max.) / 2.5" slots (scope of delivery)		5 / 5	5 / 5
Materials		ABS, steel, 4mm tempered glass	ABS, steel, 4mm tempered glass
Radiators (mm) front top bottom side rear		120/140/240/280/360 120/240 - - 120 / 140	120/140/240/280/360 120/240 - - 120 / 140



PURE BASE 501



PURE BASE 501 Airflow



PURE BASE 501 Airflow Window

CASES

		<ul style="list-style-type: none"> Classic design with sleek front panel and top cover Generous space despite compact footprint 	<ul style="list-style-type: none"> Airflow front panel and top cover Generous space despite compact footprint 	<ul style="list-style-type: none"> Airflow front panel and top cover Side panel made of tempered glass
Color options		Black	Black White	Black White
Model number	non-window	BG073	BG074 BG075	-
	window	-	-	BGW74 BGW75
Case size incl. stands (mm)		450 x 231 x 463	450 x 231 x 463	450 x 231 x 463
Weight (kg) window non-window		6.66	6.78 6.82	7.16 7.20
Fans		2x be quiet! Pure Wings 3 140mm	2x be quiet! Pure Wings 3 140mm	2x be quiet! Pure Wings 3 140mm
Fan speed at 100% PWM		1200	1200	1200
Fan controller		-	-	-
Motherboard compatibility		ATX, M-ATX, Mini-ITX	ATX, M-ATX, Mini-ITX	ATX, M-ATX, Mini-ITX
Invertable		-	-	-
USB 2.0 / USB 3.0 / USB 3.2 Gen. 2 Type C		- / 2 / 1	- / 2 / 1	- / 2 / 1
Illumination		-	-	-
PSU shroud		✓	✓	✓
5.25" bays		-	-	-
3.5" slots (max.) / 3.5" slots (scope of delivery)		2 / 2	2 / 2	2 / 2
2.5" slots (max.) / 2.5" slots (scope of delivery)		5 / 5	5 / 5	5 / 5
Materials		steel, ABS	steel, ABS	steel, ABS, 4mm tempered glass
Radiators (mm) front top bottom side rear		120/140/240/280/360 120/240 - - 120 / 140	120/140/240/280/360 120/240 - - 120 / 140	120/140/240/280/360 120/240 - - 120 / 140



PURE BASE 500 FX



PURE BASE 500



PURE BASE 500DX

		<ul style="list-style-type: none"> 4 Light Wings PWM fans make for vibrant illumination Optimized for high performance and maximum airflow 	<ul style="list-style-type: none"> Compactness and functionality with outstanding price-performance ratio Available with window side panel 	<ul style="list-style-type: none"> Optimized for high performance and maximum airflow Side window made of tempered glass
Color options		Black	Black White Metallic Gray Red	Black White Red
Model number	non-window	-	BG034 BG035 BG036 -	-
	window	BGW43	BGW34 BGW35 BGW36 BGW41	BGW37 BGW38 BGW42
Case size incl. stands (mm)		450 x 232 x 443	450 x 231 x 463	450 x 231 x 443
Weight (kg) window non-window		8,0	7.53 6.95	7.83
Fans		4x be quiet! Light Wings 3x 120mm / 1x 140mm	2x be quiet! Pure Wings 2 140mm	3x be quiet! Pure Wings 2 140mm
Fan speed at 100% PWM		Front: 1700, Rear: 1500	900	900
Fan controller		PWM and ARGB Hub	-	-
Motherboard compatibility		ATX, M-ATX, Mini-ITX	ATX, M-ATX, Mini-ITX	ATX, M-ATX, Mini-ITX
Invertable		-	-	c
USB 2.0 / USB 3.0 / USB 3.2 Gen. 2 Type C		- / 1 / 1	- / 2 / -	- / 1 / 1
Illumination		ARGB	-	ARGB
PSU shroud		✓	✓	✓
5.25" bays		-	-	-
3.5" slots (max.) / 3.5" slots (scope of delivery)		2 / 2	2 / 2	2 / 2
2.5" slots (max.) / 2.5" slots (scope of delivery)		5 / 5	5 / 5	5 / 5
Materials		ABS, steel, 4mm tempered glass	ABS, steel, 4mm tempered glass (window only)	ABS, steel, 4mm tempered glass
Radiators (mm) front top bottom side rear		120/140/240/280/360 120/240 - - 120/140	120/140/240/280/360 120/240 - - 120/140	120/140/240/280/360 120/240 - - 120/140



PURE BASE 600

		<ul style="list-style-type: none"> Functionality and great features for an attractive price Available with window side panel
Color options		Orange Black Silver
Model number	non-window	- BG021 BG022
	window	BGW20 BGW21 -
Case size incl. stands (mm)		492 x 220 x 470
Weight (kg) window non-window		8.45 7.44
Fans		2x be quiet! Pure Wings 2 140mm / 120mm
Fan speed at 100% PWM		Front: 900, Rear: 1200
Fan controller		Manual 3-step fan controller (3 x3-pin)
Motherboard compatibility		E-ATX (30.5 x 27.5), ATX, M-ATX, Mini-ITX
Invertable		✓
USB 2.0 / USB 3.0 / USB 3.2 Gen. 2 Type C		- / 2 / -
Illumination		-
PSU shroud		✓
5.25" bays		-
3.5" slots (max.) / 3.5" slots (scope of delivery)		5 / 3
2.5" slots (max.) / 2.5" slots (scope of delivery)		12 / 8
Materials		ABS, steel, 4mm tempered glass (window only)
Radiators (mm) front top bottom side rear		120/140/240/280/360 120/240/360 - - 120